

路基土石方数量计算表

桩 号	横 断 面 面 积 (m²)		距离 (m)	挖方分类及数量 (m³)														填方数量 (m³)			利用方数量及调配 (m³)								借方数量 (m3)及运距 (Km)		弃方数量 (m3)及运距 (Km)		备 注
				总数量	土						石						本桩利用				填 缺		挖 余		远运利用及纵 向调配示意								
	I				II		III		IV		V		VI																				
	挖方	填方			%	数量	%	数量	%	数量	%	数量	%	数量	%	数量	%	数量	总数量	土	石	土	石	土		石	土	石	土	石			
1	2	3	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33		
K0+000	2.00																														平均断面		
K0+020	0.83		20.00	28	20	6	60	17	20	6															28								
K0+033.130	0.76	0.00	13.13	10	20	2	60	6	20	2							0	0		0					10								
K0+040	0.99		6.87	6	20	1	60	4	20	1							0	0		0					6								
K0+056.920	1.77		16.92	23	20	5	60	14	20	5															23								
K0+060	1.72		3.08	5	20	1	60	3	20	1															5								
K0+080	0.74	0.00	20.00	25	20	5	60	15	20	5							0	0		0					25								
K0+089.015	0.32	0.04	9.02	5	20	1	60	3	20	1							0	0		0					5								
K0+091.032	0.60	0.01	2.02	1	20	0	60	1	20	0							0	0		0					1								
K0+100	0.77	0.00	8.97	6	20	1	60	4	20	1							0	0		0					6								
K0+119.475	0.71	0.00	19.48	14	20	3	60	9	20	3							0	0		0					14								
K0+120	0.71	0.00	0.53	0	20	0	60	0	20	0							0	0		0					0								
K0+140	1.37		20.00	21	20	4	60	12	20	4							0	0		0					21								
K0+140.948	1.40		0.95	1	20	0	60	1	20	0															1								
K0+160	1.75		19.05	30	20	6	60	18	20	6															30								
K0+179.132	2.05		19.13	36	20	7	60	22	20	7															36								
K0+180	2.03		0.87	2	20	0	60	1	20	0															2								
K0+200	1.64		20.00	37	20	7	60	22	20	7															37								
K0+219.788	1.29		19.79	29	20	6	60	17	20	6															29								
K0+220	1.28		0.21	0	20	0	60	0	20	0															0								
K0+240	1.24		20.00	25	20	5	60	15	20	5															25								
K0+258.925	1.31		18.93	24	20	5	60	14	20	5															24								
K0+260	1.30		1.07	1	20	0	60	1	20	0															1								
K0+280	1.80		20.00	31	20	6	60	19	20	6															31								
K0+284.891	2.32		4.89	10	20	2	60	6	20	2															10								
K0+300	1.33		15.11	28	20	6	60	17	20	6															28								
K0+320	0.43	0.04	20.00	18	20	4	60	11	20	4							0	0		0					17								
小 计				418		84		251		84							1	1		1					417								
累 计				418		84		251		84							1	1		1					417								

路基土石方数量计算表

桩 号	横 断 面 面 积 (m²)		距离 (m)	挖方分类及数量 (m³)														填方数量 (m³)			利用方数量及调配 (m³)								借方数量 (m3)及运距 (Km)		弃方数量 (m3)及运距 (Km)		备 注
				总数量	土						石						本桩利用				填 缺		挖 余		远运利用及纵向 调配示意								
	I				II		III		IV		V		VI																				
	挖方	填方			%	数量	%	数量	%	数量	%	数量	%	数量	%	数量	总数量	土	石	土	石	土	石	土		石	土	石					
1	2	3	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33		
K0+320	0.43	0.04																															
K0+322.267	0.35	0.04	2.27	1	20	0	60	1	20	0							0	0		0					1								
K0+340	0.39	0.03	17.73	7	20	1	60	4	20	1							1	1		1					6								
K0+350.377	0.00	0.14	10.38	2	20	0	60	1	20	0							1	1		1					1								
K0+356.377	0.13	0.08	6.00	0	20	0	60	0	20	0							1	1		0		0											
K0+360	0.28	0.05	3.62	1	20	0	60	0	20	0							0	0		0					1								
K0+367.878	0.47	0.02	7.88	3	20	1	60	2	20	1							0	0		0					3								
K0+380	3.65		12.12	25	20	5	60	15	20	5							0	0		0					25								
K0+387.929	5.12		7.93	35	20	7	60	21	20	7															35								
K0+400	4.75		12.07	60	20	12	60	36	20	12															60								
K0+420	4.49		20.00	92	20	18	60	55	20	18															92								
K0+423.691	4.42		3.69	16	20	3	60	10	20	3															16								
K0+440	3.48		16.31	64	20	13	60	39	20	13															64								
K0+452.774	2.82		12.77	40	20	8	60	24	20	8															40								
K0+460	2.66		7.23	20	20	4	60	12	20	4															20								
K0+480	2.33		20.00	50	20	10	60	30	20	10															50								
K0+485.595	2.25		5.60	13	20	3	60	8	20	3															13								
K0+500	0.81		14.41	22	20	4	60	13	20	4															22								
K0+511.423	0.29	0.05	11.42	6	20	1	60	4	20	1							0	0		0					6								
K0+520	0.33	0.05	8.58	3	20	1	60	2	20	1							0	0		0					2								
K0+538.865	0.46	0.03	18.87	7	20	1	60	4	20	1							1	1		1					7								
K0+540	0.45	0.03	1.13	1	20	0	60	0	20	0							0	0		0					0								
K0+560	0.27	0.06	20.00	7	20	1	60	4	20	1							1	1		1					6								
K0+571.828	0.17	0.07	11.83	3	20	1	60	2	20	1							1	1		1					2								
K0+580	0.58	0.01	8.17	3	20	1	60	2	20	1							0	0		0					3								
K0+600	2.40		20.00	30	20	6	60	18	20	6							0	0		0					30								
K0+602.477	2.59		2.48	6	20	1	60	4	20	1															6								
小 计				517		103		310		103							6	6		6		0		511									
累 计				517		103		310		103							6	6		6		0		511									

路基土石方数量计算表

桩 号	横 断 面 面 积 (m²)		距离 (m)	挖方分类及数量 (m³)														填方数量 (m³)			利用方数量及调配 (m³)								借方数量 (m3)及运距 (Km)		弃方数量 (m3)及运距 (Km)		备 注
				总数量	土						石						本桩利用				填 缺		挖 余		远运利用及纵向 调配示意								
	I				II		III		IV		V		VI																				
	挖方	填方			%	数量	%	数量	%	数量	%	数量	%	数量	%	数量	%	数量	总数量	土	石	土	石	土		石	土	石					
1	2	3	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33		
K0+602.477	2.59																																
K0+620	2.38		17.52	44	20	9	60	26	20	9															44								
K0+635.434	2.20		15.43	35	20	7	60	21	20	7															35								
K0+640	1.89		4.57	9	20	2	60	6	20	2															9								
K0+660	0.54	0.01	20.00	24	20	5	60	15	20	5							0	0		0					24								
K0+669.264	0.18	0.06	9.26	3	20	1	60	2	20	1							0	0		0					3								
K0+680	0.07	0.07	10.74	1	20	0	60	1	20	0							1	1		1					1								
K0+689.384	0.09	0.11	9.38	1	20	0	60	0	20	0							1	1		1		0											
K0+690.340	0.24	0.06	0.96	0	20	0	60	0	20	0							0	0		0					0								
K0+700	0.40	0.04	9.66	3	20	1	60	2	20	1							0	0		0					3								
K0+720	0.71	0.00	20.00	11	20	2	60	7	20	2							0	0		0					11								
K0+737.872	1.08		17.87	16	20	3	60	10	20	3							0	0		0					16								
K0+740	1.08		2.13	2	20	0	60	1	20	0															2								
K0+760	1.01		20.00	21	20	4	60	12	20	4															21								
K0+777.328	0.94		17.33	17	20	3	60	10	20	3															17								
K0+780	0.97		2.67	3	20	1	60	2	20	1															3								
K0+800	1.38		20.00	24	20	5	60	14	20	5															24								
K0+802.959	1.44		2.96	4	20	1	60	3	20	1															4								
K0+820	1.34		17.04	24	20	5	60	14	20	5															24								
K0+840	1.17		20.00	25	20	5	60	15	20	5															25								
K0+855.264	1.05		15.26	17	20	3	60	10	20	3															17								
K0+860	1.07		4.74	5	20	1	60	3	20	1															5								
K0+880	1.12		20.00	22	20	4	60	13	20	4															22								
K0+900	1.17		20.00	23	20	5	60	14	20	5															23								
K0+906.563	1.21		6.56	8	20	2	60	5	20	2															8								
K0+920	1.03		13.44	15	20	3	60	9	20	3															15								
K0+940	0.79	0.00	20.00	18	20	4	60	11	20	4							0	0		0					18								
小 计				375		75		225		75							3	3		3		0		372									
累 计				375		75		225		75							3	3		3		0		372									

路基土石方数量计算表

桩 号	横 断 面 面 积 (m²)		距离 (m)	挖 方 分 类 及 数 量 (m³)														填 方 数 量 (m³)			利 用 方 数 量 及 调 配 (m³)								借 方 数 量 (m3)及运距 (Km)		弃 方 数 量 (m3)及运距 (Km)		备 注
				总数量	土						石						本桩利用				填 缺		挖 余		远运利用及纵向 调配示意								
	I				II		III		IV		V		VI																				
	挖方	填方			%	数量	%	数量	%	数量	%	数量	%	数量	%	数量	%	数量	总数量	土	石	土	石	土		石	土	石	土	石			
1	2	3	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33		
K0+940	0.79	0.00																															
K0+949.902	0.72	0.00	9.90	7	20	1	60	4	20	1							0	0		0				7									
K0+960	0.77	0.00	10.10	8	20	2	60	5	20	2							0	0		0				7									
K0+980	0.88		20.00	16	20	3	60	10	20	3							0	0		0				16									
K0+985.828	0.95		5.83	5	20	1	60	3	20	1														5									
K1+000	0.95		14.17	13	20	3	60	8	20	3														13									
K1+012.286	0.95		12.29	12	20	2	60	7	20	2														12									
K1+020	0.83		7.71	7	20	1	60	4	20	1														7									
K1+040	0.69	0.01	20.00	15	20	3	60	9	20	3							0	0		0				15									
K1+052.352	0.60	0.01	12.35	8	20	2	60	5	20	2							0	0		0				8									
K1+060	0.70	0.00	7.65	5	20	1	60	3	20	1							0	0		0				5									
K1+080	1.13		20.00	18	20	4	60	11	20	4							0	0		0				18									
K1+084.101	1.25		4.10	5	20	1	60	3	20	1														5									
K1+100	1.32		15.90	20	20	4	60	12	20	4														20									
K1+117.472	1.39		17.47	24	20	5	60	14	20	5														24									
K1+120	1.33		2.53	3	20	1	60	2	20	1														3									
K1+140	1.26		20.00	26	20	5	60	16	20	5														26									
K1+143.288	1.20		3.29	4	20	1	60	2	20	1														4									
K1+144.288	1.17		1.00	1	20	0	60	1	20	0														1									
K1+160	1.94		15.71	24	20	5	60	15	20	5														24									
K1+180	2.86		20.00	48	20	10	60	29	20	10														48									
K1+184.082	3.01		4.08	12	20	2	60	7	20	2														12									
K1+200	2.64		15.92	45	20	9	60	27	20	9														45									
K1+210.380	2.41		10.38	26	20	5	60	16	20	5														26									
K1+220	2.61		9.62	24	20	5	60	14	20	5														24									
K1+240	3.06		20.00	57	20	11	60	34	20	11														57									
K1+240.047	3.06		0.05	0	20	0	60	0	20	0														0									
小 计				435		87		261		87							0	0		0				435									
累 计				435		87		261		87							0	0		0				435									

路基土石方数量计算表

桩 号	横 断 面 面 积 (m²)		距离 (m)	挖方分类及数量 (m³)														填方数量 (m³)			利用方数量及调配 (m³)								借方数量 (m3)及运距 (Km)		弃方数量 (m3)及运距 (Km)		备 注
				总数量	土						石						本桩利用				填 缺		挖 余		远运利用及纵 向调配示意								
	I				II		III		IV		V		VI																				
	挖方	填方			%	数量	%	数量	%	数量	%	数量	%	数量	%	数量	总数量	土	石	土	石	土	石	土		石	土	石					
1	2	3	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33		
K1+240.047	3.06																																
K1+260	2.20		19.95	52	20	10	60	31	20	10														52									
K1+272.003	1.77		12.00	24	20	5	60	14	20	5														24									
K1+280	1.92		8.00	15	20	3	60	9	20	3														15									
K1+296.733	2.33		16.73	36	20	7	60	21	20	7														36									
K1+300	2.40		3.27	8	20	2	60	5	20	2														8									
K1+320	2.76		20.00	52	20	10	60	31	20	10														52									
K1+331.630	2.97		11.63	33	20	7	60	20	20	7														33									
K1+340	2.90		8.37	25	20	5	60	15	20	5														25									
K1+360	2.76		20.00	57	20	11	60	34	20	11														57									
K1+367.527	2.71		7.53	21	20	4	60	12	20	4														21									
K1+380	2.62		12.47	33	20	7	60	20	20	7														33									
K1+400	2.49		20.00	51	20	10	60	31	20	10														51									
K1+407.013	2.43		7.01	17	20	3	60	10	20	3														17									
K1+420	2.29		12.99	31	20	6	60	18	20	6														31									
K1+440	2.07		20.00	44	20	9	60	26	20	9														44									
K1+460	2.08		20.00	42	20	8	60	25	20	8														42									
K1+476.269	2.30		16.27	36	20	7	60	21	20	7														36									
K1+480	2.30		3.73	9	20	2	60	5	20	2														9									
K1+500	2.23		20.00	45	20	9	60	27	20	9														45									
K1+506.447	2.16		6.45	14	20	3	60	9	20	3														14									
K1+520	1.51		13.55	25	20	5	60	15	20	5														25									
K1+540	0.78	0.00	20.00	23	20	5	60	14	20	5							0	0		0				23									
K1+541.411	0.75	0.00	1.41	1	20	0	60	1	20	0							0	0		0				1									
K1+555.430	0.53	0.02	14.02	9	20	2	60	5	20	2							0	0		0				9									
K1+560	0.42	0.03	4.57	2	20	0	60	1	20	0							0	0		0				2									
K1+569.265	0.20	0.07	9.27	3	20	1	60	2	20	1							0	0		0				2									
小 计				705		141		423		141							1	1		1				704									
累 计				705		141		423		141							1	1		1				704									

路基土石方数量计算表

[illegible]